


Specification

Finium Linear 94mm x 35mm




Finium Linear 94mm x 35mm

SKU: FINLIN9435W // FINLIN9435B // FINLIN9435S




Features





- Creative magnetic end cap, connect in seconds
- AL6063-T5 aluminum profile with high-quality surface treatment and three optional colors of black, white and silver
- Specially designed light source with PC diffusers producing homogenous & soft lighting
- Super free connection: 180 ° extender, "L-", "T-" and "X-" type light corner
- Recessed installation with two optional accessories of N-shaped buckle and butterfly clip
- Winner of IF Design Awards 2016



Details



Standard Configuration


Picture	Item	Parameter	Amount	Remarks
	①Profile	Profile weight : 1.3kg/2.5m Size : L2500*W94*H35mm Material : AL6063-T5 Surface processing : Anodizing	1pcs	
	②Cover	Type: Frosted diffuser Material : PC Light transmittance : 86% Size : L2500*W72.3*H10mm PC Feature : The diffuser will extend (shrink) 0.8mm/m when the temperature raises (drops) 10°C.	1pcs	
	③End cap	Size : L94*W35*H18mm	2pcs/set	
	④Cable clip		1set	

Optional Accessories

Picture	Item	Parameter	Amount	Remarks
	⑤Flexible strip D8420-24V-52mm	Voltage : DC24V Typ.power : 30W/M Width : 52mm Min cut : 50mm	2.5M/reel	
	⑤Rigid modular DY8420-24V-55mm	Voltage : DC24V Typ.power : 30W/M Width : 55mm Min cut : 50mm	Xpcs/box	
	⑥Recessed buckle (Butterfly clips)	Size : L68.5*W35*H31.6mm	4pcs/set	
	⑦Recessed buckle (N-shaped)	Size : L96*W84*H39.5mm	2pcs/set	
	⑧Power supply	Size : 346*29.5*23.5mm	1pcs	
	Reflective paper	Size : L15000*W11.5*H0.075mm	15M/reel	
	T-type (60°+120°)		10pcs/set	
	X-type (60°+120°)		10pcs/set	
	7-type (60°)		10pcs/set	
	L-type (60°)		10pcs/set	
	Y-type (120°)		10pcs/set	
	7-type (120°)		10pcs/set	
	L-type (120°)		10pcs/set	


Corners

L-type corner




Al6063-T5&PC
6W
L157*W157*H35mm

L-type inner corner




Al6063-T5&PC
6W
L150*W150*H94mm

L-type exterior corner



Al6063-T5&PC
8.6W
L150*W150*H94mm

T-type corner



Al6063-T5&PC
7.6W
L200*W157*H35mm

X-type corner



Al6063-T5&PC
10.1W
L200*W200*H35mm

180° extender





SPCC
silver
L55*W10*H2mm

* The corners can be provided with or without light source.


Optical Parameter

D8420-24V-52mm light source, frosted diffuser




Package

Mode 1 :



Mode 2 :



Components	Packaging material	Size(mm)	NW(kg)	GW(kg)	Content
Single piece	Hat box	2580*112*50mm	3.31	4.64	1pcs/box
Whole bundle	Hat box	2580*224*127.5mm	19.83	27.83	6pcs/box
Whole box packaging	Paper box	2580*231*168mm	26.48	29.48	8pcs/box